

fortilux 64-61

30% lighter!

Description

Protective glove against mechanical risks.
18G HDPE nylon liner
Nitrile palm coated
Cut resistant glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards
EN ISO 21420:2020 & EN388:2016+A1:2018

Composition

Coating: Sandy nitrile
Liner: UHMWPE
Binding: Polyester

Benefits

Extra thin & breathable

- 18G exclusive lining technology contributing it the thinnest and finest cut B nitrile glove.
- Over 30% lighter than a standard cut B nitrile glove. Perfect dexterity, flexibility, super comfort and very good fitting.
- **Thumb crotch reinforcement.**
- Unrivalled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.
- Super grip in both dry and oily working conditions.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Breathable.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Tested for harmful substances according the Oeko-Tex standard 100.
- Applications: Automotive industry, glass industry, paper industry, blades manufacturing, machinery and equipment maintenance...

Reinforced!

Between thumb & forefinger



**NEW
2021**

**CUT
B**

**CONFIDENCE
IN TEXTILES**
Tested for harmful substances
according to Oeko-Tex® Standard 100



EN388:2016
+A1:2018



4231B

**long
Life**

Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (Individual)

digitx-gloves.com

digitX®